CONTENTS

List of committees ix

Photograph of participants xi

Preface xiii

Program abstracts

RNB Facilities in Europe—present and future
W. Henning 3c

Radioactive beam facilities of North America
J.A. Nolen 9c

REX-ISOLDE—experiences from the first year of operation
J. Cederkall, F. Ames, P. Butler, P. Delahaye, V. Fedoseev, M. Lindroos, T. Nilsson, T. Sieber, F. Wenander, M. Pantea, S. Emhofer, D. Habs, O. Kester, K. Rudolph, R. von Hahn, O. Niedermaier, H. Scheit, D. Schwalm, P. van Duppen, M. Huyse, B. Jonsson, G. Nyman, J. Eberth, P. Reiter, D. Weisshaar and REX-ISOLDE Collaboration 17c

The Munich accelerator for fission fragments—MAFF
T. Faestermann, W. Assmann, L. Beck, H. Bongers, W. Carli, M. Groß, R. Großmann, D. Habs, P. Hartung, S. Heinz, P. Jüttner, O. Kester, R. Krücken, H.-J. Maier, P. Maier-Komor, F. Nebel, F. Ospald, M. Pasini, M. Schumann, J. Szerypo, P.G. Thirolf, F. Tralmer and E. Zech 22c

Radioactive beams at Texas A&M University: recent results and future plans
R.E. Tribble 27c

Increasing beam currents at the TRIUMF-ISAC Facility; techniques and experiences
M. Dombsky, P. Bricault and V. Hanemaayer 32c

Charge breeding techniques
F. Wenander 40c

A highly selective laser ion source for bunched, low emittance beam release
K. Wendt, K. Blaum, K. Brück, Ch. Geppert, H.-J. Kluge, M. Mukherjee, G. Passler, S. Schwarz, S. Sirotzki and K. Wies 47c

Radioactive ion beams in the region of ^{100}Sn and ^{78}Ni at the NSCL
A. Stolz, A. Estrade, A.D. Davies, T.N. Ginter, P.T. Hosmer, E. Kwan, S.N. Liddick, P.F. Mantica, T.J. Mertzimekis, F.A. Montes, D.J. Morrissey, A.C. Morton, M. Ouellette, E. Pellegrini, P. Santi, H. Schatz, M. Steiner, A.E. Stuchberry, B.E. Tomlin, W.B. Walters, A. Woehr, O. Arndt, K.-L. Kratz, B. Pfeiffer and P. Reeder 54c

What are the advantages of a three body model with core excitation for ^{21}Ne and ^{21}Na?
F.M. Nunes and I.J. Thompson 61c

Studies of β-delayed proton decays of $N \simeq Z$ nuclei around ^{100}Sn at the GSI-ISOL Facility
I. Mukha, L. Batist, F. Becker, A. Blazhev, A. Brüchle, J. Döring, M. Górska, H. Grawe, T. Faestermann, C. Hoffman, Z. Janas, A. Jungclaus, M. Karny, M. Kavatsyuk, O. Kavatsyuk, R. Kirchner, M. La Commara, C. Mazzocchi, C. Plettner, A. Płochocki, E. Roeckl, M. Romoli, M. Schädel, R. Schwengner, S.L. Tabor, M. Wiedeking and GSI ISOL Collaboration 66c

Structure of ^{11}Be studied in β-delayed neutron- and γ-decay from polarized ^{11}Li
Y. Hirayama, T. Shimoda, H. Izumi, H. Yano, M. Yagi, A. Hatakeyama, C.D.P. Levy, K.P. Jackson and H. Miyatake 71c

Mean-field models and exotic nuclei
P.-G. Reinhard, T. Bürvenich, T. Cornelius, P. Fleischer, P. Klüpfel and J.A. Maruhn 76c

Nuclear structure studies with heavy neutron-rich RIBS at the HRIBF
D.C. Radford, C. Baktash, J.R. Beene, B. Fuentes, A. Galindo-Uribarri, J. Gomez del Campo, C.J. Gross, M.L. Halbert, Y. Larochelle, T.A. Lewis, J.F. Liang, J. Mas, P.E. Mueller, E. Padilla, D. Shapira, D.W. Stracener, R.L. Varner, C.-H. Yu, C.J. Barton, M.A. Caprio, D.J. Hartley and N.V. Zamfir 83c

Shape coexistence in Krypton isotopes studied through Coulomb excitation of radioactive Krypton ion beams
W. Korten, E. Bouchez, E. Clément, A. Chatillon, A. Görgen, Y. Le Coz, Ch. Theisen, J. Wilson, J.M. Casandjian, G. de France, G. Sletten, T. Czosnyka, J. Iwanicki, M. Zielinska, C. Andreoiu, P. Butler, R.-D. Herzberg, D. Jenkins, G. Jones, F. Becker, J. Gerl, W. Catford and C. Timis 90c

First results on in-beam γ spectroscopy of neutron-rich Na and Mg isotopes at REX-ISOLDE
H. Scheit, O. Niedermaier, M. Pantea, F. Aksouh, C. Alvarez, F. Ames, T. Behrens, V. Bildstein, H. Boie, P. Butler, J. Cederkäll, T. Davinson, P. Delahaye, P. Van Duppen, J. Eberth, S. Emhofer, J. Fitting, S. Franchoo, R. Gernhäuser, G. Gersch, D. Habs, R. von Hahn, H. Hess, A. Hurst, M. Huyse, O. Ivanov, J. Iwanicki, O. Kester, F. Köck, T. Kröll, R. Krücken, M. Lauer, R. Lutter, P. Mayet, M. Münch, U.K. Pal, M. Pasini, P. Reiter, A. Richter, A. Scherillo, G. Schrieder, D. Schwalm, T. Sieber, H. Simon, O. Thelen, P. Thirolf, J. van de Walle, N. Warr, D. Weißhaar and REX and MINIBALL Collaborations 96c

Enhanced evaporation residue cross sections in neutron-rich radioactive ^{132}Sn on ^{64}Ni
J.F. Liang, D. Shapira, C.J. Gross, J.R. Beene, J.D. Bierman, A. Galindo-Uribarri, J. Gomez del Campo, P.A. Hausladen, Y. Larochelle, W. Loveland, P.E. Mueller, D. Peterson, D.C. Radford, D.W. Stracener and R.L. Varner 103c

Synthesis of heavy nuclei using radioactive nuclear beams
W. Loveland 108c

Direct measurement of the astrophysical reaction $^{14}O(\alpha, p)^{17}F$
M. Notani, S. Kubono, T. Teranishi, Y. Yanagisawa, S. Michimasa, K. Ue, J.J. He, H. Iwasaki, H. Baba, M. Tamaki, T. Minemura, S. Shimoura, N. Hokoiwa, Y. Wakabayashi, T. Sasaki, T. Fukuchi, A. Odahara, Y. Gono, Zs. Fülöp, E.K. Lee, K.I. Hahn, J.Y. Moon, C.C. Yun, J.H. Lee, C.S. Lee and S. Kato 113c

Physics opportunities with SPIRAL and SPIRAL 2
M. Lewitowicz 118c

Shell model in a first principles approach
J.P. Vary, B.R. Barrett, R. Lloyd, P. Navrátil, A. Nogga and W.E. Ormand 123c

Initial results from coupled-cluster theory
D.J. Dean 130c

Study of neutron rich carbon and oxygen nuclei up to drip line
M. Stanoiu, F. Azaiez, Zs. Dombrádi, O. Sorlin, B.A. Brown, M. Belleguic, D. Sohler, M.G. Saint Laurent, Y.E. Penionzhkevich, G. Sletten, C. Borcea, C. Bourgeois, A. Bracco, J.M. Daugas, Z. Dlouhý, C. Donzaud, Zs. Fülöp, D. Guillemaud-Mueller, S. Grévy, F. Ibrahim, A. Kerek, A. Krasznahorkay, M. Lewitowicz, S. Lukyanov, P. Mayet, S. Mandal, W. Mittig, J. Mrázek, F. Negoita, F. De Oliveira-Santos, Zs. Podolyák, F. Pougheon,

P. Roussel-Chomaz, H. Savajols, Y. Sobolev, C. Stodel, J. Timár and A. Yamamoto 135c

Tracking the monopole migration of the $\nu 1f_{5/2}$ state near the $N = 32$ subshell closure in neutron-rich nuclei above ^{48}Ca
S.N. Liddick, P.F. Mantica, R.V.F. Janssens, R. Broda, B.A. Brown, M.P. Carpenter, B. Fornal, A.C. Morton, W.F. Mueller, J. Pavan, A. Stolz, S.L. Tabor, B.E. Tomlin and M. Wiedeking 140c

β-decay studies at the $N = 28$ shell closure: indications for a weakening of the spin–orbit force far from stability?
S. Grévy, J.C. Angélique, P. Baumann, C. Borcea, A. Buta, G. Canchel, W.N. Catford, S. Courtin, J.M. Daugas, F. De Oliveira, P. Dessagne, Z. Dlouhy, A. Knipper, K.L. Kratz, F.R. Lecolley, J.L. Lecouey, G. Lehrsenneau, M. Lewitowicz, E. Liénard, S. Lukyanov, F. Maréchal, C. Miehé, J. Mrazek, F. Negoita, N.A. Orr, D. Pantelica, Y. Penionzhkevich, J. Péter, B. Pfeiffer, S. Pietri, E. Poirier, O. Sorlin, M. Stanoiu, I. Stefan, C. Stodel and C. Timis 145c

New results with stored exotic nuclei at relativistic energies
H. Geissel, Yu.A. Litvinov, F. Attallah, K. Beckert, P. Beller, F. Bosch, D. Boutin, T. Faestermann, M. Falch, B. Franzke, M. Hausmann, M. Hellström, E. Kaza, Th. Kerscher, O. Klepper, H.-J. Kluge, C. Kozhuharov, K.-L. Kratz, S.A. Litvinov, K.E.G. Löbner, L. Maier, M. Matoš, G. Münzenberg, F. Nolden, Yu.N. Novikov, T. Ohtsubo, A. Ostrowski, Z. Patyk, B. Pfeiffer, M. Portillo, T. Radon, C. Scheidenberger, V. Shishkin, J. Stadlmann, M. Steck, D.J. Viera, H. Weick, M. Winkler, H. Wollnik and T. Yamaguchi 150c

RF deflector system for proton-rich RI beams in RIKEN
K. Yamada, T. Motobayashi and I. Tanihata 156c

A 20 kW beam-on-target test of a high-power liquid lithium target for RIA
C.B. Reed, J.A. Nolen, J.R. Specht, V.J. Novick and P. Plotkin 161c

Direct reaction spectroscopy of exotic nuclei
J.A. Tostevin, P. Batham, G. Podolyák and I.J. Thompson 166c

Two-proton knockout on neutron-rich nuclei
D. Bazin, B.A. Brown, C.M. Campbell, J.A. Church, D.C. Dinca, J. Enders, A. Gade, T. Glasmacher, P.G. Hansen, W.F. Mueller, H. Olliver, B.C. Perry, B.M. Sherrill, J.R. Terry and J.A. Tostevin 173c

Studies of the neutron single-particle structure of exotic nuclei at the HRIBF
J.S. Thomas, D.W. Bardayan, J.C. Blackmon, J.A. Cizewski, U. Greife, C.J. Gross, M.S. Johnson, K.L. Jones, R.L. Kozub, J.F. Liang, R.J. Livesay, Z. Ma, B.H. Moazen, C.D. Nesaraja, D. Shapira and M.S. Smith 178c

Reactions induced by 18 MeV ^{6}He beam on ^{6}Li, ^{7}Li and ^{12}C
M. Milin, S. Cherubini, T. Davinson, A. Di Pietro, P. Figuera, Đ. Miljanić, A. Musumarra, A. Ninane, A.N. Ostrowski, M.G. Pellegriti, A.C. Shotter, N. Soić, C. Spitaleri and M. Zadro 183c

Multistrip silicon detectors for studies with low energy RNBs
T. Davinson 188c

Multinucleon transfer measured with the magnetic spectrometer prisma
F. Scarlassara, S. Beghini, G. Montagnoli, B.R. Behera, L. Corradi, E. Fioretto, A. Gadea, A. Latina, A.M. Stefanini, S. Szilner, M. Trotta and Y.W. Wu 195c

Trapping radioactive ions
H.-J. Kluge and K. Blaum 200c

The collinear laser beam line at ISAC
C.D.P. Levy, R. Baartman, J.A. Behr, R.F. Kiefl, M. Pearson, R. Poutissou, A. Hatakeyama and Y. Hirayama 206c

New determination of the ^{7}Be(p, γ)^{8}B S-factor
A.R. Junghans, E.C. Mohrmann, K.A. Snover, T.D. Steiger, E.G. Adelberger, J.M. Casandjian, H.E. Swanson, L.R. Buchmann, A.M. Laird, S. Park and A.Y. Zyuzin 210c

Neutron matter: a superfluid gas
S.-Y. Chang, J. Morales Jr., V.R. Pandharipande, D.G. Ravenhall, J. Carlson, S.C. Pieper, R.B. Wiringa and K.E. Schmidt 215c

Study of excited states in proton-rich nuclei by resonant elastic scattering
C. Angulo 222c

Structure of exotic ^{7}He and ^{9}He
G.V. Rogachev, A. Aprahamian, F.D. Becchetti, P. Boutachkov, Y. Chen, G. Chubarian, P.A. DeYoung, A. Fomichev, V.Z. Goldberg, M.S. Golovkov, J.J. Kolata, Yu.Ts. Oganessian, G.F. Peaslee, M. Quinn, A. Rodin, B.B. Skorodumov, R.S. Slepnev, G. Ter-Akopian, W.H. Trzaska, A. Wöhr and R. Wolski 229c

At the limits of stability—the observation of two-proton emission
B. Blank 236c

Beta-delayed multiparticle emission studies at ISOL-type Facilities
M.J.G. Borge, U.C. Bergmann, R. Boutami, J. Cederkäll, P. Dendooven, L.M. Fraile, H.O.U. Fynbo, W.X. Huang, J. Huikari, Y. Jading, H. Jeppesen,

A. Jokinen, B. Jonson, I. Martel, M. Meister, T. Nilsson, G. Nyman, Y. Prezado, K. Riisager, O. Tengblad, L. Weissman, K. Wilhelmsen and J. Äystö 243c

The advanced gamma ray tracking array AGATA
D. Bazzacco and on behalf of AGATA Collaboration 248c

GRETINA: a gamma ray energy tracking array
I.Y. Lee, R.M. Clark, M. Cromaz, M.A. Deleplanque, M. Descovich, R.M. Diamond, P. Fallon, A.O. Macchiavelli, F.S. Stephens and D. Ward 255c

High acceptance magnetic spectrometer for RNB studies
H. Savajols 260c

A solenoidal transport device for transfer reactions in inverse kinematics
A.H. Wuosmaa, T. Al Tahtamouni and J.P. Schiffer 267c

Application of digital sampling techniques to a "single chip telescope" for isotopic particle identification
L. Bardelli, G. Poggi, M. Bini, G. Pasquali and N. Taccetti 272c

First mass measurement at JYFLTRAP
A. Jokinen, T. Eronen, U. Hager, J. Hakala, V. Kolhinen, S. Kopecky, S. Rinta-Antila, J. Szerypo and J. Äystö 277c

Basic nuclear data for nuclear waste transmutation and radioactive nuclear beam production
J. Benlliure and K.-H. Schmidt 281c

The production of ^{9}C beam in the secondary beam line of the HIMAC Facility and its potential application in cancer therapy
Q. Li, A. Kitagawa, M. Kanazawa, E. Urakabe, T. Kanai, T. Tomitani, S. Sato and Z. Wei 288c

^{8}Li and ^{18}F diffusion experiments in solids—an application of accelerated RNB
S.C. Jeong, I. Katayama, H. Kawakami, H. Ishiyama, Y. Watanabe, H. Miyatake, E. Tojyo, M. Oyaizu, K. Enomoto, M. Sataka, S. Okayasu, H. Sugai, S. Ichikawa, K. Nishio, Y. Sugiyama, A. Iwase, M. Yahagi, T. Hashimoto, K. Takada, M. Watanabe, M. Tanigaki and T. Shinozuka 293c

Weak interactions and fundamental symmetries with rare isotopes
A. García 298c

Recent results from the Penning trap mass spectrometer ISOLTRAP
K. Blaum, G. Audi, D. Beck, G. Bollen, C. Guénaut, P. Delahaye, F. Herfurth, A. Kellerbauer, H.-J. Kluge, D. Lunney, D. Rodríguez, S. Schwarz, L. Schweikhard, C. Weber and C. Yazidjian 305c

Determination of the ^{8}B neutrino spectrum
W.T. Winter, K.E. Rehm, C.L. Jiang, I. Ahmad, S.J. Freedman, J. Greene, A. Heinz, D. Henderson, R.V.F. Janssens, E.F. Moore, G. Mukherjee, R.C. Pardo, M. Paul, T. Pennington, G. Savard, J.P. Schiffer, D. Seweryniak and G. Zinkann 311c

The acceleration and storage of radioactive ions for a beta-beam facility
M. Lindroos, T. Nilsson and Beta-Beam Working Group 316c

Nuclear structure input for supernova modeling
G. Martínez-Pinedo 323c

Measurement of the $^{8}Li(\alpha, n)^{11}B$ reaction cross sections of astrophysical interest
T. Hashimoto, T. Ishikawa, T. Kawamura, K. Nakai, H. Ishiyama, Y.X. Watanabe, H. Miyatake, M.H. Tanaka, N. Yoshikawa, S.C. Jeong, Y. Fuchi, I. Katayama, T. Nomura, S.K. Das, P.K. Saha, T. Fukuda, K. Nishio, S. Mitsuoka, H. Ikezoe, M. Matsuda, S. Ichikawa, T. Furukawa, H. Izumi, T. Shimoda, Y. Mizoi and M. Terasawa 330c

The r-process: recent progress and needs for nuclear data
Y.-Z. Qian 335c

Precise mass measurements of astrophysical interest made with the Canadian Penning trap mass spectrometer
J.A. Clark, R.C. Barber, B. Blank, C. Boudreau, F. Buchinger, J.E. Crawford, S. Gulick, J.C. Hardy, A. Heinz, J.K.P. Lee, A.F. Levand, R.B. Moore, G. Savard, D. Seweryniak, K.S. Sharma, G.D. Sprouse, W. Trimble, J. Vaz, J.C. Wang and Z. Zhou 342c

Radioactive nuclei on accreting neutron stars
H. Schatz 347c

First studies of the $^{8}B(\alpha, p)^{11}C$ reaction
K.E. Rehm, C.L. Jiang, J.P. Greene, D. Henderson, R.V.F. Janssens, E.F. Moore, G. Mukherjee, R.C. Pardo, T. Pennington, J.P. Schiffer, S. Sinha, X.D. Tang, R.H. Siemssen, L. Jisonna, R.E. Segel and A.H. Wuosmaa 354c

Study of $^{21}Na(p, \gamma)^{22}Mg$ using the DRAGON separator
D.A. Hutcheon and DRAGON Collaboration 359c

The $^{17}F(p,\gamma)^{18}Ne$ direct capture cross section
J.C. Blackmon, D.W. Bardayan, C.R. Brune, F. Carstoiu, A.E. Champagne, R. Crespo, T. Davinson, J.C. Fernandes, C.A. Gagliardi, U. Greife, C.J. Gross, P.A. Hausladen, C. Iliadis, C.C. Jewett, R.L. Kozub, T.A. Lewis, F. Liang, B.H. Moazen, A.M. Mukhamedzhanov, C.D. Nesaraja, F.M. Nunes, P.D. Parker, D.C. Radford, L. Sahin, J.P. Scott, D. Shapira, M.S. Smith, J.S. Thomas, L. Trache, R.E. Tribble, P.J. Woods and C.-H. Yu 365c

Status of the solar reaction $^{7}Be(p,\gamma)^{8}B$
F. Hammache 370c

Radioactive nuclear beam facilities

The radioactive laboratory upgrade at ISOLDE, CERN
R. Catherall, A. Dorsival, T. Giles, J. Lettry, M. Lindroos, A. Muller, T. Otto and P. Thirolf 379c

A low energy storage ring for partly stripped radioactive ions
T. Fritioff, M. Grieser, M. Lindroos and A. Trzcinska 384c

The optics of the exotic beam line at LNL
V.Z. Maidikov, T. Glodariu, M. La Commara, M. Sandoli, C. Signorini, L. Costa, F. Soramel, R. Bonetti, A. De Rosa, M. Di Pietro, A. Guglielmetti, G. Inglima, B. Martin, M. Mazzocco, D. Pierroutsakou, M. Romoli, P. Scopel and L. Stroe 389c

Present status of secondary beam courses in HIMAC
M. Kanazawa, A. Kitagawa, S. Kouda, T. Nishio, M. Torikoshi, K. Noda, T. Murakami, S. Sato, M. Suda, T. Tomitani, T. Kanai, Y. Futami, M. Shinbo, E. Urakabe and Y. Iseki 393c

Radioactive ion beam acceleration at MAFF
M. Pasini, O. Kester, D. Habs, M. Groß, T. Sieber, H.J. Maier, W. Assmann, R. Krüken, T. Faestermann, A. Schempp, U. Ratzinger and C.P. Safvan 397c

Production of RNB by projectile fragmentation

The influence of secondary reactions in the wedge of a magnetic separator at RIA
C.L. Jiang, B.B. Back, J. Nolen, K.E. Rehm and G. Savard 403c

Momentum distributions and production cross sections of projectile-like fragments
S. Momota, I. Tanihata, A. Ozawa, M. Notani, K. Yoshida, K. Morimoto, T. Onishi, T. Yamaguchi, A. Yoshida, Y.X. Watanabe, L. Zhong, M. Kanazawa, A. Kitagawa, M. Suda and Y. Nojiri 407c

LISE++: design your own spectrometer
O.B. Tarasov and D. Bazin 411c

Development and first on-line tests of the RIA gas catcher prototype
W. Trimble, G. Savard, B. Blank, J.A. Clark, F. Buchinger, T. Cocolios, J.E. Crawford, A. Frankel, J.P. Greene, S. Gulick, J.K.P. Lee, A. Levand, M. Portillo, K.S. Sharma, J.C. Wang, B.J. Zabransky, Z. Zhou and S258 Collaboration 415c

Production of RNB by ISOL techniques

Production and trapping of francium atoms
S.N. Atutov, V. Biancalana, A. Burchianti, R. Calabrese, L. Corradi, A. Dainelli, V. Guidi, A. Khanbekyan, B. Mai, C. Marinelli, E. Mariotti, L. Moi, S. Sanguinetti, G. Stancari, L. Tomassetti and S. Veronesi 421c

Uranium carbide fission target R&D for RIA—an update
J.P. Greene, A. Levand, J. Nolen and T. Burtseva 425c

Collection of separated isotopes for radioactive target production at RIA
M. Hausmann, D.J. Vieira and L. Ahle 429c

Optimization of krypton yields for rp-process studies at ISOLDE(CERN)
A. Kankainen, M. Santana Leitner, L.M. Fraile, A. Jokinen, M. Oinonen, K. Peräjärvi, H. Ravn, J. Äystö and ISOLDE Collaboration 433c

Simulation of effusion from targets of tilted foils
B. Mustapha, J.A. Nolen and I.C. Gomes 437c

Database for ISOL-production optimization with web access
M. Turrión, M.J.G. Borge and O. Tengblad 441c

Development of a low charge-to-mass ratio injector for a RIB linac
N.Y. Vinogradov, J.A. Nolen, P.N. Ostroumov and K.W. Shepard 445c

Beam generation at next generation RIB Facilities: conceptual design studies
Y. Zhang and G.D. Alton 449c

The use of electron beam in RIA R&D
I.C. Gomes, J. Nolen and C. Reed 453c

Nuclear reactions and structure with radioactive beams

Francium developments at Stony Brook
S. Aubin, E. Gomez, K. Gulyuz, L.A. Orozco, J. Sell and G.D. Sprouse 459c

Search for the $^{8}B(2^{+}) \rightarrow {}^{8}Be(0^{+})$ ground-state transition
M.K. Bacrania, D.W. Storm and R.G.H. Robertson 463c

Study of elastic scattering of mirror nuclei $^{7}Be + {}^{7}Li$
S. Barua, J.J. Das, A. Jhingan, T. Varughese, N. Madhavan, P. Sugathan, S. Verma, K. Kalita, B. Bhattacharjee, S.K. Datta and K. Boruah 467c

Coulomb excitation studies of $^{132,134}Sn$
J.R. Beene, R.L. Varner, C. Baktash, A. Galindo-Uribarri, C.J. Gross, J. Gomez del Campo, M.L. Halbert, P.A. Hausladen, Y. Larochelle, J.F. Liang, J. Mas, P.E. Mueller, E. Padilla-Rodal, D.C. Radford, D. Shapira, D.W. Stracener, J.-P. Urrego-Blanco and C.-H. Yu 471c

Low-lying states of ^{10}Li studied in reactions of a ^{9}Li beam REX-ISOLDE
U.C. Bergmann 475c

Nuclear structure of light exotic nuclei from break-up reactions
D. Cortina, J. Fernandez-Vazquez, T. Aumann, T. Baumann, J. Benlliure, M.J.G. Borge, L.V. Chulkov, U. Datta Pramanik, C. Forssén, L.M. Fraile, H. Geissel, J. Gerl, F. Hammache, K. Itahashi, R. Janik, B. Jonson, S. Mandal, K. Markenroth, M. Meister, M. Mocko, G. Münzenberg, T. Ohtsubo, A. Ozawa, Y. Prezado, V. Pribora, K. Riisager, H. Scheit, R. Schneider, G. Schrieder, H. Simon, B. Sitar, A. Stolz, P. Strmen, K. Sümmerer, I. Szarka, H. Weick and GSI-E212 Collaboration 479c

Shell stabilization and the survival of heavy compound nuclei
A. Heinz, K.-H. Schmidt and A.R. Junghans 483c

Masses along the rp-process path and large scale surveys on Cu, Ni and Ga with ISOLTRAP
F. Herfurth, G. Audi, D. Beck, K. Blaum, G. Bollen, P. Delahaye, C. Guénaut, A. Kellerbauer, H.-J. Kluge, D. Lunney, D. Rodríguez, S. Saxena, S. Schwarz, L. Schweikhard, G. Sikler and C. Yazidjian 487c

Magnetic moment of ^{33}Cl
K. Matsuta, K. Arimura, T. Nagatomo, K. Akutsu, T. Iwakoshi, S. Kudo, M. Ogura, M. Takechi, K. Tanaka, T. Sumikama, K. Minamisono, T. Miyake, T. Minamisono, M. Fukuda, M. Mihara, A. Kitagawa, M. Sasaki, M. Kanazawa, M. Torikoshi, M. Suda, M. Hirai, S. Momota, Y. Nojiri, A. Sakamoto, M. Saihara, T. Ohtsubo, J.R. Alonso, G.F. Krebs and T.J.M. Symons 493c

^{6}Li breakup from ^{208}Pb target at Coulomb barrier energies: doorway to reaction mechanism induced by loosely bound/halo nuclei
M. Mazzocco, P. Scopel, C. Signorini, L. Fortunato, F. Soramel, I.J. Thompson, A. Vitturi, M. Barbui, A. Brondi, M. Cinausero, D. Fabris, E. Fioretto,

G. La Rana, M. Lunardon, R. Moro, A. Ordine, G.F. Prete, V. Rizzi, L. Stroe, M. Trotta, E. Vardaci and G. Viesti 497c

Quadrupole moments of $^{20,21}Na$
K. Minamisono, K. Matsuta, T. Minamisono, C.D.P. Levy, T. Nagatomo, M. Ogura, T. Sumikama, J.A. Behr, K.P. Jackson, H. Fujiwara, M. Mihara and M. Fukuda 501c

Nuclear spin orientation of $^{12,13}B$ created in heavy ion collisions
T. Nagatomo, K. Matsuta, K. Akutsu, T. Iwakoshi, Y. Nakashima, T. Sumikama, M. Ogura, M. Mihara, H. Fujiwara, S. Kumashiro, K. Minamisono, T. Minamisono, M. Fukuda, M. Miyake, S. Momota, Y. Nojiri, A. Kitagawa, M. Sasaki, M. Torikoshi, M. Kanazawa, M. Suda, S. Sato, M. Hirai, T.J.M. Symons, G.F. Krebs, J.R. Alonso, S.Y. Zhu, J.Z. Zhu, Y.J. Xu and Y.N. Zheng 505c

Precise nuclear moments of ^{13}B and the β-ray angular distribution
T. Nagatomo, K. Matsuta, K. Akutsu, T. Iwakoshi, Y. Nakashima, T. Sumikama, M. Ogura, M. Mihara, H. Fujiwara, S. Kumashiro, K. Minamisono, T. Minamisono, M. Fukuda, M. Miyake, S. Momota, Y. Nojiri, A. Kitagawa, M. Sasaki, M. Torikoshi, M. Kanazawa, M. Suda, S. Sato, M. Hirai, T.J.M. Symons, G.F. Krebs, J.R. Alonso, S.Y. Zhu, J.Z. Zhu, Y.J. Xu and Y.N. Zheng 509c

Muonic radioactive atoms—a unique probe for nuclear structure
T. Nilsson, J. Äystö, K. Langanke, K. Riisager, G. Martinez-Pinedo and E. Kolbe 513c

The β-decay of ^{9}Li to the high lying states in ^{9}Be
Y. Prezado, U.C. Bergmann, M.J.G. Borge, J. Cerdekäll, L.M. Fraile, H.O.U. Fynbo, H. Jeppesen, B. Jonson, M. Meister, G. Nyman, K. Riisager, O. Tengblad, T. Nilsson, L. Weissmann and K. Wilhelmsen 518c

Elastic scattering of ^{17}F on ^{208}Pb and ^{17}F breakup cross section at Coulomb barrier energies
M. Romoli, M. Mazzocco, E. Vardaci, M. Di Pietro, R. Bonetti, A. De Francesco, A. De Rosa, T. Glodariu, A. Guglielmetti, G. Inglima, M. La Commara, B. Martin, D. Pierroutsakou, M. Sandoli, P. Scopel, C. Signorini, F. Soramel, L. Stroe, J. Greene, A. Heinz, D. Henderson, C.L. Jiang, J.F. Liang, E.F. Moore, R.C. Pardo, K.E. Rehm and A. Wuosmaa 522c

Neutron-rich rare isotope production and studies of the N/Z degree of freedom in binary collisions at Fermi energies
G.A. Souliotis, M. Veselsky, D.V. Shetty, L. Trache and S.J. Yennello 526c

Density distribution of proton drip-line nucleus ^{17}Ne
K. Tanaka, M. Fukuda, M. Mihara, M. Takechi, T. Chinda, T. Sumikama, S. Kudo, K. Matsuta, T. Minamisono, T. Ohtubo, T. Suzuki, S. Momota, T. Izumikawa, T. Yamaguchi, T. Onishi, A. Ozawa, I. Tanihata and Z. Tao 532c

Single proton knock-out from ^{24}F
M. Thoennessen, T. Baumann, B.A. Brown, J. Enders, N.H. Frank, P.G. Hansen, P. Heckman, B.A. Luther, J.P. Seitz, A. Stolz and E. Tryggestad 536c

Application of the high-spin isomer beams to the secondary fusion reaction and the measurement of g-factor
H. Watanabe, K. Asahi, T. Kishida, H. Ueno, W. Sato, A. Yoshimi, Y. Kobayashi, D. Kameda, H. Miyoshi, T. Fukuchi, Y. Wakabayashi, T. Sasaki, M. Kibe, N. Hokoiwa, A. Odahara, B. Cederwall, K. Lagergren, Zs. Podolyák, M. Ishihara and Y. Gono 540c

Coulomb dissociation of high-energy radioactive beams: the case of ^{8}B
K. Sümmerer and S233 Collaboration 544c

Exotic decay modes

Half-life limit of ^{19}Mg
N. Frank, T. Baumann, D. Bazin, R.R.C. Clement, M.W. Cooper, P. Heckman, W.A. Peters, A. Stolz, M. Thoennessen and M.S. Wallace 551c

Nuclear astrophysics

Studies of the $^{18}F(p,\alpha)^{15}O$ reaction rate with a ^{18}F beam at the HRIBF
D.W. Bardayan, J.C. Blackmon, J. Gómez del Campo, R.L. Kozub, J.F. Liang, Z. Ma, D. Shapira and M.S. Smith 557c

A new measurement of $d(^{7}Be,^{8}B)n$ reaction at $E_{c.m.} = 4.5$ MeV for the extraction of $S_{17}(0)$ factor using ANC method
J.J. Das, V.M. Datar, P. Sugathan, N. Madhavan, P.V. Madhusudhana Rao, A. Jhingan, A. Navin, S.K. Dhiman, S. Barua, S. Nath, T. Varughese, A.K. Sinha, R. Singh, A. Ray, D.L. Shastry, R.G. Kulkarni and R. Shyam 561c

Element synthesis calculations for stellar explosions: robust uncertainties, sensitivities, and radioactive ion beam measurements
M.S. Smith, W.R. Hix, S. Parete-Koon, L. Dessieux, Z. Ma, S. Starrfield, D.W. Bardayan, M.W. Guidry, D.L. Smith, J.C. Blackmon and A. Mezzacappa 565c

Nuclear data on unstable nuclei for astrophysics
M.S. Smith, R.A. Meyer, D.W. Bardayan, J.C. Blackmon, K. Chae, M.W. Guidry, W.R. Hix, R.L. Kozub, E.J. Lingerfelt, Z. Ma and J.P. Scott 569c

Theoretical developments on nuclei far from stability

Neutron-proton pairing in rotating $N \sim Z$ nuclei: dominance of the isovector component
A.V. Afanasjev and S. Frauendorf 575c

No-core shell-model calculations in light nuclei with three-nucleon forces
B.R. Barrett, P. Navrátil, A. Nogga, W.E. Ormand and J.P. Vary 579c

QRPA study of low-lying 2^+ states of even–even nuclei in neutron-rich Sn and Ni region
J. Terasaki 583c

Charge radii of exotic nuclei: nuclear results versus isotopic shift calculations
M. Tomaselli, L.C. Liu, S. Fritzsche, T. Kühl, D. Ursescu, P. Neumayer and A. Wojtaszek 587c

Experimental developments for studies with RIBS

Studies of the $^{18}F(p,\alpha)^{15}O$ reaction rate with a ^{18}F beam at the HRIBF
D.W. Bardayan, J.C. Blackmon, J. Gómez del Campo, R.L. Kozub, J.F. Liang, Z. Ma, D. Shapira and M.S. Smith 593c

Towards precision experiments with LEBIT at NSCL/MSU
G. Bollen, S. Schwarz, D. Davies, P. Lofy, D.J. Morrissey, R. Ringle, P. Schury, T. Sun and L. Weissman 597c

Study of the charge exchange process at low energy with REXTRAP
P. Delahaye, F. Ames and A. Kellerbauer 604c

Nuclear excitation by electronic processes: NEEC and NEET effects
P. Morel, J.M. Daugas, G. Gosselin, V. Méot and D. Gogny 608c

Production and isobaric separation of ^{63}Ni ions for determination of the $^{62}Ni(n,\gamma)^{63}Ni$ reaction cross section at stellar temperatures
H. Nassar, S. Ghelberg, M. Paul, S. Dababneh, M. Heil, F. Käppeler, R. Plag, I. Ahmad, J.P. Greene, D.J. Henderson, C.L. Jiang, R.C. Pardo, T. Pennington, K.E. Rehm, R. Scott, S. Sinha, X. Tang, R. Vondrasek, H. Koivisto, D. Berkovits, M. Bettan, R. Reifarth, P. Collon, S. O'Brien and N. Patronis 613c

Studies of high-K isomers at TRIUMF-ISAC
M.B. Smith, P.M. Walker, R.S. Chakrawarthy, R.A.E. Austin, G.C. Ball, J.J. Carroll, E. Cunningham, P. Finlay, P.E. Garrett, G.F. Grinyer, G. Hackman, B. Hyland, K. Koopmans, W.D. Kulp, J.R. Leslie, A.A. Phillips, R. Propri, P.H. Regan, F. Sarazin, M.A. Schumaker, H.C. Scraggs, T. Shizuma, C.E. Svensson, J. von Schwarzenberg, J.C. Waddington, D. Ward, J.L. Wood, B. Washbrook and E.F. Zganjar 617c

Progress in muonic atom spectroscopy with RI beams
P. Strasser, K. Nagamine, T. Matsuzaki, K. Ishida, Y. Matsuda, K. Itahashi and M. Iwasaki 621c

Breakup of loosely bound nuclei at intermediate energies as indirect method in nuclear astrophysics: ^{8}B, ^{9}C and the S_{17}, S_{18} astrophysical factors
L. Trache, F. Carstoiu, C.A. Gagliardi, A.M. Mukhamedzhanov and R.E. Tribble 625c

Detectors and instrumentation

Resonance ionization laser ion source—off-line tests at TRIUMF
C. Geppert, P. Bricault, R. Horn, J. Lassen, C. Rauth and K. Wendt 631c

Towards high-precision mass measurements on ^{74}Rb for a test of the CVC hypothesis and the unitarity of the CKM matrix
A. Kellerbauer, G. Audi, D. Beck, K. Blaum, G. Bollen, P. Delahaye, F. Herfurth, H.-J. Kluge, V. Kolhinen, M. Mukherjee, D. Rodríguez and S. Schwarz 635c

Studies on sensitivity, resolution, and Doppler broadening in gamma-ray imaging with pixellated semiconductor detectors
J.H. Lee and C.S. Lee 639c

Position determination of interaction points inside a planar-type segmented germanium detector by pulse shape analysis using a three-dimensional Green's function
J.Y. Moon and C.S. Lee 643c

Design of a second generation RFQ Ion Cooler and Buncher (RFQCB) for ISOLDE
I. Podadera Aliseda, T. Fritioff, T. Giles, A. Jokinen, M. Lindroos and F. Wenander 647c

The Canadian Penning trap mass spectrometer
J.C. Wang, G. Savard, K.S. Sharma, J.A. Clark, Z. Zhou, A.F. Levand, C. Boudreau, F. Buchinger, J.E. Crawford, J.P. Greene, S. Gulick, J.K.P. Lee, G.D. Sprouse, W. Trimble, J. Vaz and B.Z. Zabransky 651c

First extraction tests of the NSCL gas cell
L. Weissman, P.A. Lofy, D.A. Davies, D.J. Morrissey, P. Schury, S. Schwarz, T. Sun and G. Bollen 655c

First ECR-ionized noble gas radioisotopes at ISOLDE
F. Wenander, W. Farabolini, G. Gaubert, P. Jardin and J. Lettry 659c

Investigation of a gas catcher/ion guide system at the Warsaw cyclotron
A. Wojtasiewicz, G. Canchel, A. Emsallem, M. Gierlik, Z. Janas, M. Kisieliński, W. Kurcewicz, J. Kurpeta, H. Lefort, S. Lewandowski, H. Penttilä, A. Płochocki, E. Roeckl, B. Roussière, S. Sidor and A. Syntfeld 663c

Fundamental interactions

Beta-asymmetry studies on polarized ^{82}Rb atoms in a TOP trap
M. Hausmann, D.J. Vieira, J. Wu, X. Zhao, M.G. Boulay and A. Hime 669c

Alignment correlation term in the β-ray angular distribution from spin aligned ^{20}Na
K. Minamisono, K. Matsuta, T. Minamisono, C.D.P. Levy, T. Nagatomo, M. Ogura, T. Sumikama, J.A. Behr, K.P. Jackson, H. Fujiwara, M. Mihara and M. Fukuda 673c

Detecting shake-off electron–ion coincidences to measure β-decay correlations in laser trapped ^{21}Na
N.D. Scielzo, S.J. Freedman, B.K. Fujikawa, I. Kominis, R. Maruyama, P.A. Vetter and J.R. Vieregg 677c

Beta-ray angular distributions of spin aligned ^{8}Li and ^{8}B
T. Sumikama, T. Iwakoshi, T. Nagatomo, M. Ogura, Y. Nakashima, H. Fujiwara, K. Matsuta, T. Minamisono, M. Mihara, M. Fukuda, K. Minamisono and T. Yamaguchi 681c

List of participants 685c

Author index 705c

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: **http://contentsdirect.elsevier.com**